

1. 英語論文 Original papers (English)

- 1) Yuki K, Nakazawa T, Kurosaka D, Yoshida T, Alfonso EC, Lee RK, Takano S, Tsubota K. Role of the Vision Van, a mobile ophthalmic outpatient clinic, in the Great East Japan Earthquake. *Clin Ophthalmol* 2014; 8: 691-6.
- 2) Yasuda M, Tanaka Y, Ryu M, Tsuda S, Nakazawa T. RNA sequence reveals mouse retinal transcriptome changes early after axonal injury. *PLoS One* 2014; 9: e93258.
- 3) Yamamoto K, Maruyama K, Himori N, Omodaka K, Yokoyama Y, Shiga Y, Morin R, Nakazawa T. The novel Rho kinase (ROCK) inhibitor K-115: a new candidate drug for neuroprotective treatment in glaucoma. *Invest Ophthalmol Vis Sci* 2014; 55: 7126-36.
- 4) Suzuki N, Kunikata H, Aizawa N, Abe T, Nakazawa T. Predicting visual outcomes for macula-off rhegmatogenous retinal detachment with optical coherence tomography. *J Ophthalmol* 2014; 2014: 269837.
- 5) Shimizu A, Maruyama K, Yokoyama Y, Tsuda S, Ryu M, Nakazawa T. Characteristics of uveitic glaucoma and evaluation of its surgical treatment. *Clin Ophthalmol* 2014; 8: 2383-9.
- 6) Shiga Y, Sato M, Maruyama K, Takayama S, Omodaka K, Himori N, Kunikata H, Nakazawa T. Assessment of Short-Term Changes in Optic Nerve Head Hemodynamics in Hyperoxic Conditions with Laser Speckle Flowgraphy. *Curr Eye Res* 2014: 1-8.
- 7) Omodaka S, Endo H, Doi H, Shimizu H, Fujimura M, Aizawa N, Nakazawa T, Tominaga T. Usefulness of laser speckle flowgraphy for the assessment of ocular blood flow in extracranial-intracranial bypass. *J Stroke Cerebrovasc Dis* 2014; 23: e445-8.
- 8) Nagai N, Kaji H, Onami H, Katsukura Y, Ishikawa Y, Nezhad ZK, Sampei K, Iwata S, Ito S, Nishizawa M, Nakazawa T, Osumi N, Mashima Y, Abe T. A Platform for Controlled Dual-Drug Delivery to the Retina: Protective Effects against Light-Induced Retinal Damage in Rats. *Adv Healthc Mater* 2014.
- 9) Nagai N, Kaji H, Onami H, Ishikawa Y, Nishizawa M, Osumi N, Nakazawa T, Abe T. A polymeric device for controlled transscleral multi-drug delivery to the posterior segment of the eye. *Acta Biomater* 2014; 10: 680-7.
- 10) Maruyama Y, Maruyama K, Kato Y, Kajiya K, Moritoh S, Yamamoto K, Matsumoto Y, Sawane M, Kerjaschki D, Nakazawa T, Kinoshita S. The effect of podoplanin inhibition on lymphangiogenesis under pathological conditions. *Invest Ophthalmol Vis Sci* 2014; 55: 4813-22.
- 11) Maekawa S, Shiga Y, Kawasaki R, Nakazawa T. Usefulness of novel laser speckle flowgraphy-derived variables of the large vessel area in the optic nerve head in normal tension glaucoma. *Clin Experiment Ophthalmol* 2014.
- 12) Kobayashi W, Kunikata H, Omodaka K, Togashi K, Ryu M, Akiba M, Takeuchi G, Yuasa T, Nakazawa T. Correlation of optic nerve microcirculation with papillomacular bundle structure in treatment naive normal tension glaucoma. *J Ophthalmol* 2014; 2014: 468908.
- 13) Hagiwara K OT, Sakayori N, Yamanishi E, Hayashi R, Osumi N, Nakazawa T, Nishida K. Molecular and cellular features of murine craniofacial and trunk neural crest cells as stem cell-like cells. *PLoS One* 2014; 9: e84072.
- 14) Aizawa N, Kunikata H, Nitta F, Nakazawa T. The relationship between laser speckle flowgraphy-measured optic disc microcirculation and postoperative visual recovery in rhegmatogenous retinal detachment. *Acta Ophthalmol* 2014.
- 15) Nishiguchi KM, Avila-Fernandez A, van Huet RA, Corton M, Perez-Carro R, Martin-Garrido E, Lopez-Molina MI, Blanco-Kelly F, Hoefsloot LH, van Zelst-Stams WA, Garcia-Ruiz PJ, Del Val J, Di Gioia SA, Klevering BJ,

- van de Warrenburg BP, Vazquez C, Cremers FP, Garcia-Sandoval B, Hoyng CB, Collin RW, Rivolta C, Ayuso C. Exome sequencing extends the phenotypic spectrum for ABHD12 mutations: from syndromic to nonsyndromic retinal degeneration. *Ophthalmology* 2014; 121: 1620-7.
- 16) Himori N, Maruyama K, Yamamoto K, Yasuda M, Ryu M, Omodaka K, Shiga Y, Tanaka Y, Nakazawa T. Critical Neuroprotective Roles of Heme Oxygenase-1 Induction Against Axonal Injury-Induced Retinal Ganglion Cell Death. *J Neurosci Res* 2014; 92: 1134-42.
- 17) Omodaka K, Takada N, Takahashi H, Nakazawa T. Regional structural vulnerability of the macula in patients with normal tension glaucoma. *Clinical & experimental ophthalmology* 2014.
- 18) Yasuda M, Shimura M, Kunikata H, Kanazawa H, Yasuda K, Tanaka Y, Konno H, Takahashi M, Kokubun T, Maruyama K, Sato N, Kakizaki M, Sato M, Tsuji I, Miyata T, Nakazawa T. Relationship of Skin Autofluorescence to Severity of Retinopathy in Type 2 Diabetes. *Current eye research* 2014: 1-8.
- 19) Tanaka Y, Tsuda S, Kunikata H, Sato J, Kokubun T, Yasuda M, Nishiguchi KM, Inada T, Nakazawa T. Profiles of extracellular miRNAs in the aqueous humor of glaucoma patients assessed with a microarray system. *Scientific reports* 2014; 4: 5089.
- 20) Yokoyama Y, Tanito M, Nitta K, Katai M, Kitaoka Y, Omodaka K, Tsuda S, Nakagawa T, Nakazawa T. Stereoscopic analysis of optic nerve head parameters in primary open angle glaucoma: the glaucoma stereo analysis study. *PloS one* 2014; 9: e99138.
- 21) Nitta F, Kunikata H, Aizawa N, Omodaka K, Shiga Y, Yasuda M, Nakazawa T. The effect of intravitreal bevacizumab on ocular blood flow in diabetic retinopathy and branch retinal vein occlusion as measured by laser speckle flowgraphy. *Clin Ophthalmol.* 2014 Jun 11;8:1119-27.
- 22) Shiga Y, Asano T, Kunikata H, Nitta F, Sato H, Nakazawa T, Shimura M. Relative flow volume, a novel blood flow index in the human retina derived from laser speckle flowgraphy. *Investigative ophthalmology & visual science* 2014; 55: 3899-904.
- 23) Takayama S, Shiga Y, Kokubun T, Konno H, Himori N, Ryu M, Numata T, Kaneko S, Kuroda H, Tanaka J, Kanemura S, Ishii T, Yaegashi N, Nakazawa T. The traditional kampo medicine tokishakuyakusan increases ocular blood flow in healthy subjects. *Evidence-based complementary and alternative medicine : eCAM* 2014; 2014: 586857.
- 24) Omodaka K, Nishiguchi KM, Yasuda M, Tanaka Y, Sato K, Nakamura O, Maruyama K, Nakazawa T. Neuroprotective effect against axonal damage-induced retinal ganglion cell death in apolipoprotein E-deficient mice through the suppression of kainate receptor signaling. *Brain Res* 2014.
- 25) Yokoyama Y, Maruyama K, Yamamoto K, Omodaka K, Yasuda M, Himori N, Ryu M, Nishiguchi KM, Nakazawa T. The role of calpain in an in vivo model of oxidative stress-induced retinal ganglion cell damage. *Biochemical and biophysical research communications* 2014; 451: 510-5.
- 26) Morin Ryu and Toru Nakazawa: calcium and calpain activation, editors Toru Nakazawa et al, Neuroprotection and Neuroregeneration for retinal disease, Springer, 13-24,2014
- 27) Omodaka K, Kurimoto T, Nakamura O, Sato K, Yasuda M, Tanaka Y, Himori N, Yokoyama Y, Nakazawa T. Artemin augments survival and axon regeneration in axotomized retinal ganglion cells. *J Neurosci Res* 2014.
- 28) Omodaka K, Yabana T, Takada N, Nakazawa T. Regional correlation of macular areas and visual acuity in patients with open-angle glaucoma. *Clinical & experimental ophthalmology* 2014.
- 29) Takada N, Omodaka K, Nakazawa T. Regional susceptibility of the optic disc to retinal nerve fiber layer thinning in different optic disc types of eyes with normal tension glaucoma. *Clinical & experimental ophthalmology* 2014.

- 30) Omodaka K, Yokoyama Y, Shiga Y, Inoue M, Takahashi S, Tsuda S, Maruyama K, Nakazawa T. Topographical Correlation Between Macular Layer Thickness and Clockwise Circumpapillary Retinal Nerve Fiber Layer Sectors in Patients with Normal Tension Glaucoma. *Curr Eye Res* 2014; 1-8.
- 31) Aizawa N, Kunikata H, Shiga Y, Yokoyama Y, Omodaka K, Nakazawa T. Correlation between structure/function and optic disc microcirculation in myopic glaucoma, measured with laser speckle flowgraphy. *BMC Ophthalmol* 2014; 14: 113.
- 32) Aizawa N, Kunikata H, Maeda N, Nakazawa T. Analysis of higher-order aberrations in eyes having undergone intraocular lens suturing. *Clin Experiment Ophthalmol* 2014.
- 33) Doi H, Kunikata H, Kato K, Nakazawa T. Ophthalmologic examinations in areas of Miyagi Prefecture affected by the Great East Japan Earthquake. *JAMA ophthalmology* 2014; 132: 874-6.
- 34) Aizawa N, Kunikata H, Yokoyama Y, Nakazawa T. Correlation between optic disc microcirculation in glaucoma measured with laser speckle flowgraphy and fluorescein angiography, and the correlation with mean deviation. *Clin Exp Ophthalmol* 2014; 42: 293-4.
- 35) Aizawa N, Kunikata H, Omodaka K, Nakazawa T. Optic disc microcirculation in superior segmental optic hypoplasia assessed with laser speckle flowgraphy. *Clinical & experimental ophthalmology* 2014.
- 36) Nakamura T, Hamuro J, Takaishi M, Simmons S, Maruyama K, Zaffalon A, Bentley AJ, Kawasaki S, Nagata-Takaoka M, Fullwood NJ, Itami S, Sano S, Ishii M, Barrandon Y, Kinoshita S. LRIG1 inhibits STAT3-dependent inflammation to maintain corneal homeostasis. *The Journal of clinical investigation* 2014; 124: 385-97.
- 37) Nagata K, Maruyama K, Sugita S, Fukuchi U, Terada Y, Ishizuka A, Nakazawa T, Mochizuki M, Kinoshita S. Age differences in sarcoidosis patients with posterior ocular lesions. *Ocular immunology and inflammation* 2014; 22: 257-62.
- 38) Hagura A, Asai J, Maruyama K, Takenaka H, Kinoshita S, Katoh N. The VEGF-C/VEGFR3 signaling pathway contributes to resolving chronic skin inflammation by activating lymphatic vessel function. *Journal of dermatological science* 2014; 73: 135-41.
- 39) Aizawa N, Nitta F, Kunikata H, Sugiyama T, Ikeda T, Araie M and Nakazawa T. Laser speckle and hydrogen gas clearance measurements of optic nerve circulation in albino and pigmented rabbits with or without optic disc atrophy. *Invest Ophthalmol Vis Sci*. In press.
- 40) Kunikata H, Tanaka Y, Aizawa N, Nakagawa A, Tominaga T and Nakazawa T. Experimental application of piezo actuator-driven pulsed water jet in retinal vascular surgery. *Transl Vis Sci Technol*. In press.
- 41) Kunikata H. Management of giant retinal tears using microincision vitrectomy surgery. *Dev Ophthalmol*. 2014;54:182-7.
- 42) Kunikata H, Aizawa N, Fuse N, Abe T, and Nakazawa T. 25-gauge microincision vitrectomy to treat vitreoretinal disease in glaucomatous eyes after trabeculectomy. *J Ophthalmol*. 2014.
- 43) Tsuda S, Kunikata H, Shimura S, Aizawa N, Omodaka K, Shiga S, Yasuda M, Yokoyama Y, and Nakazawa T. Pulse-waveform Analysis of Normal Population using Laser Speckle Flowgraphy. *Curr Eye Res*. 2014.
- 44) Kobayashi W, Kunikata H, Abe T, and Nakazawa T. Retrospective comparison of 25- and 23-gauge microincision vitrectomy surgery and 20-gauge vitrectomy for the repair of macular hole retinal detachment. *Asia Pac J Ophthalmol*. 2014.
- 45) Yasuda M, Tanaka Y, Nishiguchi KM, Ryu M, Tsuda S, Maruyama K, Nakazawa T. Retinal transcriptome profiling at transcription start sites: a cap analysis of gene expression early after axonal injury. *Bmc Genomics* 2014; 15.
- 46) Nishiguchi KM, Carvalho LS, Rizzi M, Powell K, Holthaus SM, Azam SA, Duran Y, Ribeiro J, Luhmann UF,

- Bainbridge JW, Smith AJ, Ali RR. Gene therapy restores vision in rd1 mice after removal of a confounding mutation in Gpr179. *Nature communications* 2015; 6: 6006.
- 47) Aboshiha J, Dubis AM, van der Spuy J, Nishiguchi KM, Cheeseman EW, Ayuso C, Ehrenberg M, Simonelli F, Bainbridge JW, Michaelides M. Preserved Outer Retina in AIPL1 Leber's Congenital Amaurosis: Implications for Gene Therapy. *Ophthalmology* 2015.
- 48) Yukita M, Machida S, Nishiguchi KM, Tsuda S, Yokoyama Y, Yasuda M, Maruyama K, Nakazawa T. Molecular, anatomical and functional changes in the retinal ganglion cells after optic nerve crush in mice. *Documenta ophthalmologica Advances in ophthalmology* 2015.
- 49) Kunikata H, Aizawa N, Kudo M, Mugikura S, Nitta F, Morimoto R, Iwakura Y, Ono Y, Satoh F, Takahashi H, Ito S, Takahashi S, Nakazawa T. Relationship of ocular microcirculation, measured by laser speckle flowgraphy, and silent in brain infarction in primary aldosteronism. *PLoS One* 10(2):e0117452. 2015.
- 50) Yokokura S, Hariya T, Uematsu M, Meguro Y, Kobayashi W, Nishida K, Nakazawa T. Efficacy of chandelier illumination for combined cataract operation and penetrating keratoplasty. *Cornea* 2015; 34: 275-8.
- 51) Kobayashi W, Yokokura S, Hariya T, Nakazawa T. Two percent ethylenediaminetetraacetic acid chelation treatment for band-shaped keratopathy, without blunt scratching after removal of the corneal epithelium. *Clin Ophthalmol.* 2015; 9:217-23.
- 52) Takeuchi M, Kezuka T, Sugita S, Keino H, Namba K, Kaburaki T, Maruyama K, Nakai K, Hijioka K, Shibuya E, Komae K, Hori J, Ohguro N, Sonoda KH, Mizuki N, Okada AA, Ishibashi T, Goto H, Mochizuki M. Evaluation of the Long-Term Efficacy and Safety of Infliximab Treatment for Uveitis in Behçet's Disease: A Multicenter Study. *Ophthalmology.* 2014 Oct;121(10):1877-84.
- 53) Aizawa N, Nitta F, Kunikata H, Sugiyama T, Ikeda T, Araie M and Nakazawa T. Laser speckle and hydrogen gas clearance measurements of optic nerve circulation in albino and pigmented rabbits with or without optic disc atrophy. *Invest Ophthalmol Vis Sci.* 2014 Nov 6;55(12):7991-6.
- 54) Kunikata H, Tanaka Y, Aizawa N, Nakagawa A, Tominaga T and Nakazawa T. Experimental application of piezo actuator-driven pulsed water jet in retinal vascular surgery. *Transl Vis Sci Technol.* 2014 Dec 17;3(6):10. eCollection 2014 Oct.