

1. 英語論文 Original papers (English)

- 1) Yokokura S, Hariya T, Uematsu M, Meguro Y, Kobayashi W, Nishida K, Nakazawa T. Efficacy of chandelier illumination for combined cataract operation and penetrating keratoplasty. *Cornea* 2015; **34**: 275-8.
- 2) Nishiguchi KM, Carvalho LS, Rizzi M, Powell K, Holthaus SM, Azam SA, Duran Y, Ribeiro J, Luhmann UF, Bainbridge JW, Smith AJ, Ali RR. Gene therapy restores vision in rd1 mice after removal of a confounding mutation in Gpr179. *Nature communications* 2015; **6**: 6006.
- 3) Aboshiha J, Dubis AM, van der Spuy J, Nishiguchi KM, Cheeseman EW, Ayuso C, Ehrenberg M, Simonelli F, Bainbridge JW, Michaelides M. Preserved Outer Retina in AIPL1 Leber's Congenital Amaurosis: Implications for Gene Therapy. *Ophthalmology* 2015.
- 4) Yukita M, Machida S, Nishiguchi KM, Tsuda S, Yokoyama Y, Yasuda M, Maruyama K, Nakazawa T. Molecular, anatomical and functional changes in the retinal ganglion cells after optic nerve crush in mice. *Documenta ophthalmologica Advances in ophthalmology* 2015.
- 5) Kunikata H, Aizawa N, Kudo M, Mugikura S, Nitta F, Morimoto R, Iwakura Y, Ono Y, Satoh F, Takahashi H, Ito S, Takahashi S, Nakazawa T. Relationship of ocular microcirculation, measured by laser speckle flowgraphy, and silent in brain infarction in primary aldosteronism. *PLoS One* 10(2):e0117452. 2015.
- 6) Saqib MA, Nikopoulos K, Ullah E, Sher Khan F, Iqbal J, Bibi R, Jarral A, Sajid S, Nishiguchi KM, Venturini G, Ansar M, Rivolta C. Homozygosity mapping reveals novel and known mutations in Pakistani families with inherited retinal dystrophies. *Scientific reports* 2015; **5**: 9965.
- 7) Kiyota N, Shiga Y, Takahashi H, Nakazawa T. Large vessel area of the optic nerve head, measured with laser speckle flowgraphy, is significantly reduced in eyes with preperimetric glaucoma. *Clin Experiment Ophthalmol* 2015.
- 8) Yasuda M, Shimura M, Kunikata H, Kanazawa H, Yasuda K, Tanaka Y, Konno H, Takahashi M, Kokubun T, Maruyama K, Sato N, Kakizaki M, Sato M, Tsuji I, Miyata T, Nakazawa T. Relationship of skin autofluorescence to severity of retinopathy in type 2 diabetes. *Curr Eye Res* 2015; **40**: 338-45.
- 9) Yamanari M, Tsuda S, Kokubun T, Shiga Y, Omodaka K, Yokoyama Y, Himori N, Ryu M, Kunimatsu-Sanuki S, Takahashi H, Maruyama K, Kunikata H, Nakazawa T. Fiber-based polarization-sensitive OCT for birefringence imaging of the anterior eye segment. *Biomed Opt Express* 2015; **6**: 369-89.
- 10) Tsuda S, Kunikata H, Yamanari M, Nakazawa T. Association between histological findings and polarization-sensitive optical coherence tomography analysis of a post-trabeculectomy human eye. *Clin Experiment Ophthalmol* 2015.
- 11) Takada N, Omodaka K, Nakazawa T. Regional susceptibility of the optic disc to retinal nerve fiber layer thinning in different optic disc types of eyes with normal tension glaucoma. *Clin Experiment Ophthalmol* 2015; **43**: 291-3.
- 12) Omodaka K, Yokoyama Y, Shiga Y, Inoue M, Takahashi S, Tsuda S, Maruyama K, Nakazawa T. Topographical correlation between macular layer thickness and clockwise circumpapillary retinal nerve fiber layer sectors in patients with normal tension glaucoma. *Curr Eye Res* 2015; **40**: 744-51.
- 13) Omodaka K, Yabana T, Takada N, Nakazawa T. Regional correlation of macular areas and visual acuity in patients with open-angle glaucoma. *Clin Experiment Ophthalmol* 2015; **43**: 279-82.
- 14) Omodaka K, Takada N, Yamaguchi T, Takahashi H, Araie M, Nakazawa T. Characteristic correlations of the structure-function relationship in different glaucomatous disc types. *Jpn J Ophthalmol* 2015.
- 15) Omodaka K, Takada N, Takahashi H, Nakazawa T. Regional structural vulnerability of the macula in patients

- with normal tension glaucoma. *Clin Experiment Ophthalmol* 2015; **43**: 89-90.
- 16) Omodaka K, Horii T, Takahashi S, Kikawa T, Matsumoto A, Shiga Y, Maruyama K, Yuasa T, Akiba M, Nakazawa T. 3D Evaluation of the Lamina Cribrosa with Swept-Source Optical Coherence Tomography in Normal Tension Glaucoma. *PLoS One* 2015; **10**: e0122347.
 - 17) Nakazawa T. [Aiming for zero blindness]. *Nippon Ganka Gakkai zasshi* 2015; **119**: 168-93; discussion 94.
 - 18) Nakamura M MO, Wakakura M, Inatani M, Nakazawa T, Shiraga F. Designation Criteria for Leber's Hereditary Optic Neuropathy. *Journal of Japanese Ophthalmological Society* 2015; **119**: 339-46.
 - 19) Nakamura M, Mimura O, Wakakura M, Inatani M, Nakazawa T, Shiraga F. [Designation criteria for Leber's hereditary optic neuropathy]. *Nippon Ganka Gakkai zasshi* 2015; **119**: 339-46.
 - 20) Kunimatsu-Sanuki S, Iwase A, Araie M, Aoki Y, Hara T, Nakazawa T, Yamaguchi T, Ono H, Sanuki T, Itoh M. An assessment of driving fitness in patients with visual impairment to understand the elevated risk of motor vehicle accidents. *BMJ Open* 2015; **5**: e006379.
 - 21) Kunikata H, Nakazawa T. Intraoperative Optical Coherence Tomography-Assisted 27-Gauge Vitrectomy in Eyes with Vitreoretinal Diseases. *Case Report Ophthalmol* 2015; **6**: 216-22.
 - 22) Kobayashi W, Yokokura S, Hariya T, Nakazawa T. Two percent ethylenediaminetetraacetic acid chelation treatment for band-shaped keratopathy, without blunt scratching after removal of the corneal epithelium. *Clin Ophthalmol* 2015; **9**: 217-23.
 - 23) Kobayashi W, Kunikata H, Omodaka K, Togashi K, Ryu M, Akiba M, Takeuchi G, Yuasa T, Nakazawa T. Correlation of papillomacular nerve fiber bundle thickness with central visual function in open-angle glaucoma. *J Ophthalmol* 2015; **2015**: 460918.
 - 24) Imadome N, Kunikata H, Asano S, Konno H, Izumi T, Nakazawa T. Comparison of outcome of subtenon and intravitreal injection of triamcinolone acetonide for diabetic macular edema. 2015; **69**: 705-10.
 - 25) Asano T, Hariya T, Kanazawa H, Nakazawa T, Sato H. [Clinical Research of Factors Influencing Visual Outcomes in Patients with Hemorrhagic Retinal Arterial Macroaneurysms]. *Nippon Ganka Gakkai zasshi* 2015; **119**: 387-94.
 - 26) Akaishi T, Sato DK, Nakashima I, Takeshita T, Takahashi T, Doi H, Kurosawa K, Kaneko K, Kuroda H, Nishiyama S, Misu T, Nakazawa T, Fujihara K, Aoki M. MRI and retinal abnormalities in isolated optic neuritis with myelin oligodendrocyte glycoprotein and aquaporin-4 antibodies: a comparative study. *J Neurol Neurosurg Psychiatry* 2015.
 - 27) Honjo M, Omodaka K, Ishizaki T, Ohkubo S, Araie M, Nakazawa T. Retinal Thickness and the Structure/Function Relationship in the Eyes of Older Adults with Glaucoma. *PloS one* 2015; **10**: e0141293.
 - 28) Yamazaki M, Omodaka K, Aizawa N, Nakazawa T. Estimated RGC counts are a valuable parameter in normal tension glaucoma. *Clinical & experimental ophthalmology* 2015.
 - 29) Yokoyama Y, Maruyama K, Konno H, Hashimoto S, Takahashi M, Kayaba H, Kokubun T, Nakazawa T. Characteristics of patients with primary open angle glaucoma and normal tension glaucoma at a university hospital: a cross-sectional retrospective study. *BMC Res Notes* 2015; **8**: 360.
 - 30) Shiga Y, Sato M, Maruyama K, Takayama S, Omodaka K, Himori N, Kunikata H, Nakazawa T. Assessment of Short-Term Changes in Optic Nerve Head Hemodynamics in Hyperoxic Conditions with Laser Speckle Flowgraphy. *Curr Eye Res* 2015; **40**: 1055-62.
 - 31) Nezhad ZK, Nagai N, Yamamoto K, Kaji H, Nishizawa M, Saya H, Nakazawa T, Abe T. Application of clotrimazole via a novel controlled release device provides potent retinal protection. *J Mater Sci Mater Med* 2015; **26**: 5561.
 - 32) Himori N, Kunikata H, Shiga Y, Omodaka K, Maruyama K, Takahashi H, Nakazawa T. The association between

- systemic oxidative stress and ocular blood flow in patients with normal-tension glaucoma. *Graefes Arch Clin Exp Ophthalmol* 2015.
- 33) Aizawa N, Kunikata H, Maeda N, Nakazawa T. Analysis of higher-order aberrations in eyes having undergone intraocular lens suturing. *Clin Experiment Ophthalmol* 2015; 43: 92-4.
- 34) Adachi H, Tominaga H, Maruyama Y, Yoneda K, Maruyama K, Yoshii K, Kinoshita S, Nakano M, Tashiro K. (ア) Stage-specific reference genes significant for quantitative PCR during mouse retinal development.
- 35) Fujita K, Nishiguchi KM, Yokoyama Y, et al. In vivo cellular imaging of various stress/response pathways using AAV following axonal injury in mice. *Sci Rep* 2015;5:18141.
- 36) Asano T, Hariya T, Kanazawa H, Nakazawa T, Sato H. [Clinical Research of Factors Influencing Visual Outcomes in Patients with Hemorrhagic Retinal Arterial Macroaneurysms]. *Nippon Ganka Gakkai zasshi* 2015; 119: 387-94.
- 37) Akaishi T, Sato DK, Nakashima I, Takeshita T, Takahashi T, Doi H, Kurosawa K, Kaneko K, Kuroda H, Nishiyama S, Misu T, Nakazawa T, Fujihara K, Aoki M. MRI and retinal abnormalities in isolated optic neuritis with myelin oligodendrocyte glycoprotein and aquaporin-4 antibodies: a comparative study. *J Neurol Neurosurg Psychiatry* 2015.
- 38) Aizawa N, Kunikata H, Maeda N, Nakazawa T. Analysis of higher-order aberrations in eyes having undergone intraocular lens suturing. *Clin Experiment Ophthalmol* 2015; 43: 92-4.
- 39) Maruyama K, Kunikata H, Sugita S, Mochizuki M, Ichinohasama R, Nakazawa T. First case of primary intraocular natural killer t-cell lymphoma. *BMC Ophthalmol*. 2015 Nov 19;15(1):169
- 40) Heindl LM, Kaser-Eichberger A, Schlereth SL, Bock F, Regenfuss B, Reitsamer HA, McMenamin P, Luttj GA, Maruyama K, Chen L, Dana R, Kerjaschki D, Alitalo K, De Stefano ME, Junghans BM, Schroedl F, Cursiefen C. Sufficient Evidence for Lymphatics in the Developing and Adult Human Choroid? *Invest Ophthalmol Vis Sci*. 2015 Oct 1;56(11):6709-10
- 41) Himori N, Kunikata H, Shiga Y, Omodaka K, Maruyama K, Takahashi H, Nakazawa T. The association between systemic oxidative stress and ocular blood flow in patients with normal-tension glaucoma. *Graefes Arch Clin Exp Ophthalmol* 2016; **254**: 333-41.
- 42) Imadome N, Kunikata H, Asano S, Nakazawa T. Retinal Pigment Epithelium Hyperplasia After Unsuccessful Surgery for Macular Hole. *Ophthalmic Surg Lasers Imaging Retina* 2016; **47**: 284-6.
- 43) Inoue M, Himori N, Kunikata H, Takeshita T, Aizawa N, Shiga Y, Omodaka K, Nishiguchi KM, Takahashi H, Nakazawa T. The reduction of temporal optic nerve head microcirculation in autosomal dominant optic atrophy. *Acta Ophthalmol* 2016.
- 44) Kitaoka Y, Tanito M, Yokoyama Y, Nitta K, Katai M, Omodaka K, Nakazawa T. Estimation of the Disc Damage Likelihood Scale in primary open-angle glaucoma: the Glaucoma Stereo Analysis Study. *Graefes Arch Clin Exp Ophthalmol* 2016; **254**: 523-8.
- 45) Kunikata H, Nakazawa T. Recent Clinical Applications of Laser Speckle Flowgraphy in Eyes with Retinal Disease. *Asia-Pacific journal of ophthalmology* 2016; **5**: 151-8.
- 46) Nagai N, Kaji H, Nishizawa M, Nakazawa T, Abe T. Transscleral Controlled Delivery of Geranylgeranylacetone Using a Polymeric Device Protects Rat Retina Against Light Injury. *Adv Exp Med Biol* 2016; **854**: 471-7.
- 47) Nakazawa T. Ocular Blood Flow and Influencing Factors for Glaucoma. *Asia-Pacific journal of ophthalmology* 2016; **5**: 38-44.
- 48) Sato K, Nishiguchi KM, Maruyama K, Moritoh S, Fujita K, Ikuta Y, Kasai H, Nakazawa T. Topical ocular dexamethasone decreases intraocular pressure and body weight in rats. *J Negat Results Biomed* 2016; **15**: 5.
- 49) Tsuda S, Tanaka Y, Kunikata H, Yokoyama Y, Yasuda M, Ito A, Nakazawa T. Real-time imaging of RGC death with

- a cell-impermeable nucleic acid dyeing compound after optic nerve crush in a murine model. *Exp Eye Res* 2016.
- 50) Wang Z, Iida A, Miyake N, Nishiguchi KM, Fujita K, Nakazawa T, Alswaid A, Albalwi MA, Kim OH, Cho TJ, Lim GY, Isidor B, David A, Rustad CF, Merckoll E, Westvik J, Stattin EL, Grigelioniene G, Kou I, Nakajima M, Ohashi H, Smithson S, Matsumoto N, Nishimura G, Ikegawa S. Axial Spondylometaphyseal Dysplasia Is Caused by C21orf2 Mutations. *PLoS One* 2016; **11**: e0150555.
- 51) Yoshida M, Kunimatsu-Sanuki S, Omodaka K, Nakazawa T. Structure/function relationship between wide-scan binocular OCT images and the integrated visual field in glaucoma patients. *Clin Experiment Ophthalmol* 2016.
- 52) Yui R, Kunikata H, Aizawa N, Nakazawa T. Anterior chamber aqueous flare and optic nerve microcirculation in eyes with rhegmatogenous retinal detachment. *Acta Ophthalmol* 2016.